



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

- I. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1734, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præf. Col. Reg. Med. & Soc. Reg. By Isaac Rand, Apothecary, F. R. S. Hort. Chel. Præf. ac Prælec. Botan.*

601. **A**BSINTHIUM insipidum, Absinthio vulgari simile. C. B. 139.

602. Absinthium maritimum album. Ger. Emac. 940.

*Absinthium Romanum* Offic. Lond. ramulis expansis.

603. Absinthium maritimum; ramulis & capitulis erectis.

604. Absinthium maritimum, fruticosus; ramulis erectis; tenuissime divisis foliis.

605. Apium dulce; radice Rapacea. D. Jussieu.

606. Apium Macedonicum. C. B. 154.

*Petroselinum Macedonicum.* Officin.

607. Apium Pyrenaicum, Thapsiæ facie. T. Inst. 305.

608. Apium Thapsiæ facie, majus & elatius.

*Apium Petraeum sive montanum album.* I. B. Parisiensium.

609. Apium, Thapsiæ facie, medium.

610. *Asclepias* albo flore. C. B. Pin. 303.  
*Asclepias, sive Vincetoxicum* multis, floribus  
 albicantibus. I. B. 2. 138. *Vincetoxicum*  
 Dod. Pempt. 407.
611. *Asclepias Angustifolia* flore flavescente.  
 H. R. Par.
612. *Aster* ramosus, annuus Canadensis. Tourn.  
 Inst. 482.
613. *Aster* annuus, foliis variis, flore amplo  
 peramoenè purpureo.  
*Kiang-sita* Sinensis, D. Jussieu. *Aster Che-*  
*nopodii folio annuus ; flore ingenti speci-*  
*oso.* Hort. Elt. Tab. XXXIV.
614. *Aster* Americanus, latissimo aurito & ferra-  
 to folio ; floribus albidis umbellatim dispositis. An  
*Aster Canadensis foliis imis amplioribus cor-*  
*datis & ferratis ?* D. Sarrazin. Ac. Reg.  
 Par. 1720.
615. *Aster* Americanus præcox, angustifolius ;  
 parvo albente flore.
616. *Aster* Novæ Angliæ, *Linariæ* foliis ; Cha-  
 mæmeli floribus. Par. Bat. 96.
617. *Aster* Virginianus, latifolius præcocior ;  
 purpurascente parvo flore. Park. Theat.  
*Asteriscus latifolius autumnalis.* Cor-  
 nut. 64.
618. *Cnicus* cæruleus, humilis, Montis Lupi.  
 H. L. Bat.
619. *Eruca Tanaceti* folio. H. Reg. Par.
620. *Fagopyrum Americanum* angustifolium,  
 procumbens ; caulibus Lappaceis.
621. *Fagopyrum vulgare scandens.* T. Inst. 511.
622. *Genista tinctoria.* Ger. Emac. 1136.
623. Ge-

623. *Genista tinctoria maxima Austriaca.* D. Boerhaave.

624. *Granadilla flore albo, fructu reticulato.* Boerh. Ind. 82.

625. *Granadilla oblongo acuminato folio, flore purpureo.*

An *Granadilla folio oblongo serrato, flore purpureo.* D. Houston?

626. *Lapathum Ægyptiacum annuum; Parietariæ folio; capsula seminis longius barbata.* H. Pisan.

627. *Lapathum aquaticum; folio cubitali.* C. B. 116.

628. *Lapathum hortenfe, rotundifolium five montanum.* C. B. 115.

629. *Lapathum rotundifolium, maximum.* q. *Rhaponticum* Officin.

630. *Lapathum sativum.* Dod. 618. q. *Patientia* Officin.

631. *Medicago annua Trifolii facie.* T. Inst. p. 412.

632. *Medicago maritima trifolia annua polycarpus; fructu toroso non spinoso.* D. Micheli, Hort. Pis. p. 110.

633. *Perficaria perennis repens latifolia.*

634. *Pulegium angustifolium.* C. B. 222.

*Pulegium Cervinum.* Offic.

635. *Pulegium angustifolium flore albo.* H. Reg. Par. *Planta est precedente fere triplo major.*

636. *Pulegium latifolium.* C. B. 222.

637. *Pulegium latifolium erectum.*

638. *Scorpioides; Bupleuri folio.* C. B. Pin. 287.

639. *Scorpioides filiqua crassa* Boelii. Ger.  
Emac. App. 1627.

640. *Scorpioides filiqua striata*, minus aspera.

641. *Scrophularia flore luteo*. C. B. 236.

642. *Scrophularia folio Urticæ*. C. B. 236

*Scrophularia peregrina*. Cam. Hort. Icon. 43.

643. *Scrophularia Lamii folio*. D. Bobart.

644. *Scrophularia nemorensis*; folio *Urticæ*  
*rugoso*; flore *atro-punicante*. H. C. Boerh. Ind.  
Alt. 234.

645. *Scrophularia Orientalis foliis Cannabinis*.  
T. Cor. 9.

646. *Scrophularia Sexatilis, lucida, Laferpitii*  
*Massiliensis foliis*. Boc. Mus. 166.

647. *Scrophularia Scorodoniæ folio*. Mor. Hist.  
Ox. 482.

648. *Tragopogon Gramineo folio*; *suaveru-*  
*bente flore*. Col. 231.

649. *Tragopogon luteum*, foliis *gramineis*;  
*caule purpurascente*. Boerh. Ind. Alt. p. 90.

650. *Xeranthemum flore simplici purpureo*  
*minore*. T. Inst. 499.